

LVSUN®
— Since 2000 —

Innovation For Higher-Power USB-C Charging station

Redefining Smart Charging Lifestyle!



LVSUN®
— Since 2000 —

Shenzhen LVSUN Electronics Technology Co., Ltd
Kamera (HK) International Co., Ltd

Add: Building C, Shiguan Industrial Center, Longhua, 518109 Shenzhen, China
Tel: +86-755-81700630 / 81700626 / 28108616
WhatsApp: +86-13502893598
Skype: lvsungroup
E-mail: cathy@Lvsun.com.cn
www.enlvsun.com



EN 2024-10



(App icon)



www.enlvsun.com



About LVSUN

LVSUN Group, established in 2003, is located at ShenZhen LongHua with its head office. There are Subsidiaries under parent as named as LVSUN Electronics Technology Co. Ltd of ShenZhen, LVSUN Technology Co. Ltd of ShenZhen , LVSUN Technology Co. Ltd of Dao County, LVSUN Electronics Co.Ltd of ShenZhen, Kamera(HK) International Co., Ltd. The head office of LVSUN in ShenZhen processes firm fields with 20,000 square meters, and meanwhile, the new Innovation of science and technology park of LVSUN in Dao County of HuNan Province seizes lands with 100,000 square meters.



LVSUN focuses on Depth Cultivation of Products, Independence of R&D, Innovation of Technology, Energy saving and Environmental Footprint. There are many assembly manufacturing bases in LVSUN Group. Our main products stretch into multifunctional USB charger, Universal ac Adaptors, Lithium Cell, Lithium Batteries, Raw Materials for Communication, Intelligent Home Products, Internet Marketing and Service etc, which makes LVSUN become the market leader in its innovation power industry. LVSUN Group has invested heavily to import from abroad at the advanced technology and facilities, equipped with the advanced automatic operation and testing device. We have SMT dust-free workshop, automatic plug-in production line and adopting ROHS lead-free production process in order to meet the requirements from EU WEEE, ROHS and REACH . LVSUN has created a high new level and standard in manufacturing industry, and formed a Total Quality Management of ISO9001 and Advanced Performance Management System. LVSUN has assorted with SHARP, CASIO, PENTEX, POVOS for original assemblies and became the key supplier of international OEM such as FUJITSU, HP, DURACELL for many years.

LVSUN brand has been successfully registered in more than 100 countries and regions all over the world as an international trademark and it has brand as LVSUN, KAMERA, UDOLI and ICV etc. LVSUN products sell into more than 100 countries and regions and has been rewarded for more than 300 patents through Europe, America and China at the feasibility, functionality and features of patents. Furthermore, LVSUN has gained the product safety qualification over 300 items. In 2012, LVSUN won the High-tech Enterprise of Nation, High-Tech Enterprise of ShenZhen and The Famous Brand of Shenzhen. In 2013, LVSUN products has been rewarded National Quality Inspection and Stability of Qualified Products. In 2014, LVSUN was rewarded the Independent Innovation Demonstration Enterprise of Guangdong Province and authorized as The Famous Brand of Guangdong.

LVSUN runs in modern enterprise management style, through cooperation with Jinan University and Huazhong University of Science and Technology and other large and medium institutions, LVSUN gathered a number of first-class high-tech talent, mastered the advanced technology and manufacturing process, and established an unparalleled technical advantages and quality advantages in USB multifunctional charger, universal notebook power adapter and mobile power bank.

Pursuing the business philosophy of Creativity Can Cultivate Core Value, Responsibility Can Reflect Realist, LVSUN sets its mission for the market and customers as aiming at more efficiency of energy saving, more effectiveness of friendly environment, more intelligent and portable products. LVSUN is constructing a greater harmony in working environment and better benefits at living conditions for colleagues. With strong moral humanity solicitude and culture web, the goal congruence of LVSUN's common vision is to become a leader at the innovative power field in this world.

MES & SCRM

VCAN
MES
Manufacturing Execution Systems
Website: www.vcan.net.cn

VCAN
SCRM
Social Customer Relationship Management
Open up the Wechat ecosystem, create enterprise private domain traffic.


- Effective Communication
- Chat Sidebar
- Separation Inheritance
- Session Archiving

Website: www.vcan.net.cn

MES (Manufacturing Execution Systems) are computerized systems that manage and monitor the production process in real-time, providing data for decision-making and control of manufacturing operations. They help to optimize production, reduce costs, and improve quality, by tracking production progress, managing resources, and providing real-time visibility into production performance.

SCRM (Social Customer Relationship Management) is a strategy that involves the use of social media platforms and other digital channels to manage customer interactions and relationships. It involves tracking and analyzing customer behavior and feedback across various social media channels and using that information to improve customer service and overall customer experience.

The Intelligent Charger Controlled by an App Smart System



Redefining the Smart Charging Lifestyle:



(App icon)



(for iOS)



(for Android)



(for HuaWei)



GET IT ON
Google Play



GET IT ON
App Gallery



GET IT ON
HarmonyOS

Language Options:

- English
- Chinese
- French
- German
- Japanese

32 USB-C Charging Cart

Innovative Chargers for Education

Wide Grip Handle

LED Indicator
 ● Power On / Fully Charged
 ● Charging

Combination Lock

Handlebar

Hook

Caster Wheels (2 with brakes)

Laptop Tablet PC remote control

Qualcomm quick charge 5 USB-C POWER Delivery 3.0 IPA INTELLIGENT POWER ALLOCATION 2000W Max

Intelligent Power Allocation Specification Sheet

Total Power	Output Power	100W	65W	60W	45W	35W	30W
1000W		10-port	14-port	16-port	22-port	28-port	32-port
1600W		16-port	24-port	26-port	32-port	/	/
2000W		20-port	30-port	32-port	/	/	/

Specification

Model	LS-MS32T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	510*420*915mm

20 USB-C Charging Cart

Innovative Chargers for Education

Wide Grip Handle

LED Indicator
 ● Power On / Fully Charged
 ● Charging

Combination Lock

Handlebar

Hook

Caster Wheels (2 with brakes)

Fit for Windows11 Mac chrome iPad Android 2000W Max

Intelligent Power Allocation Specification Sheet

Total Power	Output Power	100W	65W	60W	45W	35W
700W		6-port	10-port	10-port	14-port	20-port
1000W		10-port	14-port	16-port	20-port	/
1600W		16-port	20-port	/	/	/
2000W		20-port	/	/	/	/

Specification

Model	LS-MS20T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	408*420*915mm

16-Port USB-C Charging Cabinet

Innovative Chargers for Education



Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	90W	65W	60W	45W	35W	30W	25W	20W
350W	3-port	/	5-port	5-port	7-port	10-port	11-port	14-port	16-port
500W	5-port	/	7-port	8-port	11-port	14-port	16-port	/	/
800W	8-port	/	12-port	13-port	16-port	/	/	/	/
1000W	10-port	11-port	15-port	16-port	/	/	/	/	/

Specification

Model	LS-MS16T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	498*405*422mm



10 Ports USB-C or USB-A Charging Cabinet

Innovative Chargers for Education



Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	65W	60W	45W	35W
350W	3-port	5-port	5-port	7-port	10-port
500W	5-port	7-port	8-port	10-port	/
800W	8-port	10-port	/	/	/
1000W	10-port	/	/	/	/

Specification

Model	LS-MS10T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	396*405*422mm



20-port USB-C Tray Charging Dock

Innovative Chargers for Education




Fit for Windows11 Mac chrome iPad ANDROID 1000W Max

Intelligent Power Allocation Specification Sheet


Total Power	Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W	15W
350W	3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	17-port	20-port	
500W	5-port	/	7-port	8-port	11-port	14-port	16-port	18-port	20-port	/	/	
800W	8-port	/	12-port	13-port	17-port	20-port	/	/	/	/	/	
1000W	10-port	11-port	15-port	16-port	20-port	/	/	/	/	/	/	

Specification

Model	LS-US20P
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A (PD3.0/QC5)(Max)
Size	533*213*66mm



Accessories (optional):



Tray with dividers



LED Panel

20-Port USB-C Charging Dock

Innovative Chargers for Education

1000W Max




Intelligent Power Allocation Specification Sheet

Total Power	Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W	15W
350W	3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	17-port	20-port	
500W	5-port	/	7-port	8-port	11-port	14-port	16-port	18-port	20-port	/	/	
800W	8-port	/	12-port	13-port	17-port	20-port	/	/	/	/	/	
1000W	10-port	11-port	15-port	16-port	20-port	/	/	/	/	/	/	

Specification

Model	LS-US20T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	533*213*46mm(1U)

Accessories (optional):



Dividers



Rack

20-Port USB-C Charging station

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power	Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W	15W
350W		3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	17-port	20-port
500W		5-port	/	7-port	8-port	11-port	14-port	16-port	18-port	20-port	/	/
800W		8-port	/	12-port	13-port	17-port	20-port	/	/	/	/	/
1000W		10-port	11-port	15-port	16-port	20-port	/	/	/	/	/	/

Specification

Model	LS-US20
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	533*213*46mm

Accessories (optional):



16-port USB-C Tray Charging Dock

Innovative Chargers for Education



Intelligent Power Allocation Specification Sheet

Total Power	Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W
350W		3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	16-port
500W		5-port	/	7-port	8-port	11-port	14-port	16-port	/	/	/
800W		8-port	/	12-port	13-port	16-port	/	/	/	/	/
1000W		10-port	11-port	15-port	16-port	/	/	/	/	/	/

Specification

Model	LS-US16P
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A (PD3.0/QC5)(Max)
Size	448*213*66mm

Accessories (optional):



16-Port USB-C Charging Dock

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W
350W	3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	16-port
500W	5-port	/	7-port	8-port	11-port	14-port	16-port	/	/	/
800W	8-port	/	12-port	13-port	16-port	/	/	/	/	/
1000W	10-port	11-port	15-port	16-port	/	/	/	/	/	/

Specification

Model	LS-US16T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	448*213*46mm(1U)

Accessories (optional):



16-Port USB-C Charging station

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W
350W	3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	16-port
500W	5-port	/	7-port	8-port	11-port	14-port	16-port	/	/	/
800W	8-port	/	12-port	13-port	16-port	/	/	/	/	/
1000W	10-port	11-port	15-port	16-port	/	/	/	/	/	/

Specification

Model	LS-US16
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	448*213*46mm

Accessories (optional):



10-port USB-C Tray Charging Dock

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet


Total Power \ Output Power	100W	65W	60W	45W	35W
350W	3-port	5-port	/	7-port	10-port
500W	5-port	7-port	8-port	10-port	/
800W	8-port	10-port	/	/	/
1000W	10-port	/	/	/	/

Specification

Model	LS-CS10P
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A (PD3.0/QC5)(Max)
Size	340*213*66mm



Accessories (optional):



10-Port USB-C Charging Dock

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	65W	60W	45W	35W
350W	3-port	5-port	/	7-port	10-port
500W	5-port	7-port	8-port	10-port	/
800W	8-port	10-port	/	/	/
1000W	10-port	/	/	/	/

Specification

Model	LS-CS10T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A (PD3.0/QC5)(Max)
Size	340*213*46mm(1U)

Accessories (optional):



10-Port USB-C Charging station

Innovative Chargers for Education



Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	65W	60W	45W	35W
350W	3-port	5-port	/	7-port	10-port
500W	5-port	7-port	8-port	10-port	/
800W	8-port	10-port	/	/	/
1000W	10-port	/	/	/	/

Specification

Model	LS-CS10
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	340*213*46mm

Accessories (optional):



LED Panel

Rack

10-Port USB-C Charging Dock

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	65W	60W	45W	35W
350W	3-port	5-port	/	7-port	10-port
500W	5-port	7-port	8-port	10-port	/
800W	8-port	10-port	/	/	/
1000W	10-port	/	/	/	/

Specification

Model	LS-US10T
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	340*213*46mm(1U)

Accessories (optional):



Dividers

10-Port USB-C Charging station

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	65W	60W	45W	35W
350W	3-port	5-port	/	7-port	10-port
500W	5-port	7-port	8-port	10-port	/
800W	8-port	10-port	/	/	/
1000W	10-port	/	/	/	/

Specification

Model	LS-US10
Input	AC 100-240V 50/60Hz
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	340*213*46mm

Accessories (optional):



20-Port USB-C Charging station

Innovative Chargers for Education



Intelligent Power Allocation Specification Sheet

Total Power \ Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W	15W
350W	3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	17-port	20-port
500W	5-port	/	7-port	8-port	11-port	14-port	16-port	18-port	20-port	/	/
800W	8-port	/	12-port	13-port	17-port	20-port	/	/	/	/	/
1000W	10-port	11-port	15-port	16-port	20-port	/	/	/	/	/	/
1600W	16-port	/	20-port	/	/	/	/	/	/	/	/

Specification

Model	LS-S20
Input	DC 24V
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	414*58*26mm

Accessories (optional):



16-Port USB-C Charging station

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power	Output Power	100W	90W	65W	60W	45W	35W	30W	27W	25W	20W
350W		3-port	/	5-port	/	7-port	10-port	11-port	/	14-port	16-port
500W		5-port	/	7-port	8-port	11-port	14-port	16-port	/	/	/
800W		8-port	/	12-port	13-port	16-port	/	/	/	/	/
1000W		10-port	11-port	15-port	16-port	/	/	/	/	/	/

Specification

Model	LS-S16
Input	DC 24V
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	337*58*26mm

Accessories (optional):



External Power Supply

10-Port USB-C Charging station

Innovative Chargers for Education




Intelligent Power Allocation Specification Sheet

Total Power	Output Power	100W	65W	60W	45W	35W
350W		3-port	5-port	/	7-port	10-port
500W		5-port	7-port	8-port	10-port	/
800W		8-port	10-port	/	/	/
1000W		10-port	/	/	/	/

Specification

Model	LS-S10
Input	DC 24V
Output	DC5V/9V/12V/15V3A/20V5A(PD3.0/QC5)(Max)
Size	226*61*26mm

Accessories (optional):



6 Ports GaN Charging Station

Innovative Chargers for Education

GaN



Model	LS-G120-UC6	LS-G150-UC6	LS-G240-UC6
Input	AC 100-240V 2.3A 50/60Hz	AC 100-240V 2.8A 50/60Hz	AC 100-240V 3A 50/60Hz
Output	DC 5-20V5A (PD3.0/QC5/PPS)(Max)	DC 5-20V5A (PD3.0/QC5/PPS)(Max)	DC 5-20V5A (PD3.0/QC5/PPS)(Max)
Total Power	120W(Max)	150W(Max)	240W(Max)
Color	Black, White	Black, White	Black, White
Size	152*94*31mm	152*94*31mm	152*94*31mm



Model	LS-G240-UC6T
Input	AC 100-240V 3A 50/60Hz
USB-C Output	DC 5-20V5A (PD3.0/QC5/PPS)(Max)
Total Power	240W(Max)
Color	Black, White
Size	152*94*56mm



350W-1000W Power Supply

Innovative Chargers for Education

Used in industrial automation control, monitoring and security, industrial control communications, hospital equipment, outdoor lighting, charging station, charging cart and other equipment.



Model	Input	Output	Total Power	Size
LS-350BM-24	AC 100-240V 4A 50/60Hz	DC 24V14.6A(Max)	350W(Max)	215*115*30mm
LS-500BM-24	AC 100-240V 6A 50/60Hz	DC 24V21A(Max)	500W(Max)	215*115*30mm
LS-800BM-24	AC 100-240V 10A 50/60Hz	DC 24V33.4A(Max)	800W(Max)	235*130*45mm
LS-1000BM-24	AC 100-240V 12A 50/60Hz	DC 24V41.7A(Max)	1000W(Max)	235*130*45mm
LS-1600BM-24	AC 100-240V 19A 50/60Hz	DC 24V66.7A(Max)	1600W(Max)	235*130*45mm
LS-2000BM-24	AC 100-240V 24A 50/60Hz	DC 24V83.4A(Max)	2000W(Max)	235*130*45mm

10 Ports USB-C Charging Station

Innovative Chargers for Education

Charge 10 sets of Tablets or Smartphones or VR simultaneously



Model	LS-G120-10C	LS-G150-10C	LS-G240-10C
Input	AC 100-240V 2.3A 50/60Hz	AC 100-240V 2.8A 50/60Hz	AC 100-240V 3A 50/60Hz
Output	DC 5V/9V/12V/15V3A/20V3.25A (PD3.0/QC5/PPS)(Max)	DC 5V/9V/12V/15V3A/20V3.25A (PD3.0/QC5/PPS)(Max)	DC 5V/9V/12V/15V3A/20V3.25A (PD3.0/QC5/PPS)(Max)
Total Power	120W(Max)	150W(Max)	240W(Max)
Size	152*94*31mm	152*94*31mm	152*94*31mm
Weight	550g	660g	780g

10 Ports USB-C Charging Station

Innovative Chargers for Education

Charge 10 sets of Tablets or Smartphones or VR simultaneously



Model	LS-10U24C-200	LS-10U24C-150	LS-10U24H
Input	AC 100-240V 3A 50/60Hz	AC 100-240V 2.2A 50/60Hz	AC 100-240V 1.68A 50/60Hz
Output	DC 5V3A/9V2A/12V1.5A/15V1.2A/20V1A*10	DC5V3A/9V1.66A/12V1.25A/15V1A/20V0.75A*10	DC 5V 2.4A*10
Total Power	200W(Max)	150W(Max)	120W(Max)
Size	156*109*33mm	156*109*33mm	156*109*33mm
Weight	739g	650g	465g

10 Ports USB Charging Station

Innovative Chargers for Education

Charge up to 10 sets of Tablets or Smartphones or VR simultaneously



Model	LS-10U24F	LS-10U	LS-10UH
Input	AC 100-240V 1.68A 50/60Hz	AC 100-240V 1.3A 50/60Hz	AC 100-240V 1.3A 50/60Hz
Output	DC 5V 2.4A*10	DC 5V 2.4A*5 or 5V 1A*10	DC 5V 2.4A*5 or 5V 1A*10
Total Power	120W(Max)	60W(Max)	60W(Max)
Weight	465g	310g	305g
Color	Black, White	Black, White	Black, White
Size	156*109*33mm	156*109*33mm	156*47*62mm

6 Ports USB-C Charger

Innovative Chargers for Education



Model	LS-G120-6UD
Input	AC 100-240V 2.3A 50/60Hz
Output	DC 5V3A/9V3A/12V3A/15V3A/20V5A(PD3.0/QC5/PPS)(Max)
Total Power	120W(Max)
Color	Black
Size	200*66*22mm



5 Ports GaN Charging Station

Innovative Chargers for Education

GaN



Model	LS-UC5	LS-G150-UC5	LS-G240-UC5
Input	AC100-240V 2.4A 50/60Hz	AC 100-240V 2.8A 50/60HZ	AC 100-240V 3A 50/60Hz
USB-C Output	DC 5-20V5A (PD3.0/QC5/PPS)(Max)	DC 5-20V5A (PD3.0/QC5/PPS)(Max)	DC 5-20V5A (PD3.0/QC5/PPS)(Max)
USB-A Output	DC 5-20V3A(QC3.0)(Max)	DC 5-20V3A(QC3.0)(Max)	DC 5-20V3A(QC3.0)(Max)
Total Power	110W(Max)	150W(Max)	240W(Max)
Weight	407g	466g	630g
Color	Black, White	Black, White	Black, White
Size	152*94*31mm	152*94*31mm	152*94*31mm

Detachable Wireless Charger

Wireless Output : 5W/7.5W/10W/15W(Max)
Weight: 124g




5-port USB-C Extension Charger

Innovative Chargers for Education




Model	LS-C5C	LS-C5L
Input	PD3.1/PD3.0 100W	PD3.1/PD3.0 100W
Output	PD3.0 20W X 5Ports	PD3.0 20W X 5Ports
Total Power	100W(Max)	100W(Max)
Color	Black, White	Black, White
Size	91*36.5*23.2mm	91*36.5*23.2mm




USB-C Fast Wall Charger

140W

140W Single USB-C PD Wall Charger For E-bikes



Interchangeable plugs



Model	LS-GW140L
Input	AC 100-240V 2A 50/60Hz
Output	DC5V/9V/12V/15V3A,20V5A,28V5A,36V3.25A,48V2.92A PD3.1(Max)
Total Power	140W(Max)
Color	Black
Size	69*67*32mm

USB-C Fast Wall Charger

35W-100W

45W-100W Wall Charger with Type-C Cable




Model	LS-GW100L	LS-GW65L	LS-GW45L
Input	AC 100-240V 2A 50/60Hz	AC 100-240V 1.5A 50/60Hz	AC 100-240V 1.2A 50/60Hz
Output	DC 5V/9V/12V/15V3A/20V5A(Max)	DC 5V9V/12V/15V3A/20V3.25A(Max)	DC 5V3A/9V3A/12V3A/15V3A/20V2.25A(Max)
Total Power	100W(Max)	65W(Max)	45W(Max)
Color	Black	Black	Black
Size	69*67*32mm	70*51*30.4mm	43*30*42mm


USB-C Fast Wall Charger

140W - 142W

140W 3-Port USB-C Fast Wall Charger with GaN Tech



Interchangeable plugs



142W USB C Wall Charger Compatible with 130W Dell Laptop Charger




More options with different USB ports:

Model	USB-C Output	PPS Output	USB-A Output	Total Power	Size
LS-GW140-48/ LS-GZ140-48	DC5V/9V/12V/ 15V3A,20V5A, 28V/36V3.25A, 48V 2.92A PD3.1	5V-21V 5A	/	140W	69*67*32mm
LS-GW140-1C/ LS-GZ140-1C	DC5V3A/9V3A/ 12V3A/15V3A 20V5A/28V5A PD3.1/QC5	3.3V-21V 5A	/	140W	69*67*32mm
LS-GW140-2C/ LS-GZ140-2C	DC5V3A/9V3A/ 12V3A/15V 3A 20V5A/28V5A PD3.1/QC5	3.3V-21V 5A	/	140W	69*67*32mm
LS-GW140-1C1A/ LS-GZ140-1C1A	DC5V3A/9V3A 12V3A/15V3A/ 20V5A/28V5A PD3.1/QC5	3.3V-21V 5A	DC 5V2.4A	140W	69*67*32mm
LS-G142D-1C1A/ LS-GZ142D-1C1A	DC5V3A/9V3A/ 12V3A/15V3A/ 20V5A/20V6.5A	3.3V-21V 5A	DC 5V2.4A	142W	69*67*32mm
LS-GW140-2C1A/ LS-GZ140-2C1A	DC5V3A/9V3A/ 12V3A/15V 3A/ 20V5A/28V5A PD3.1/QC5	3.3V-21V 5A	DC 5V3A/ 9V2A/ 12V1.5A QC3.0	140W	77.5*70* 32.5mm


USB-C Fast Wall Charger

100W

100W USB-C Fast Wall Charger with GaN Tech



Interchangeable plugs




More options with different USB ports:

Model	USB-C Output	PPS Output	USB-A Output	Total Power	Size
LS-GW100-48/ LS-GZ100-48	DC5V/9V/12V/15V3A, 20V5A,28V3.25A,36V2.77A, 48V2.08A(PD3.1)	5V-21V 5A	/	100W	69*67*32mm
LS-GW100-1C/ LS-GZ100-1C	DC 5V3A, 9V3A, 12V3A, 15V3A, 20V5A (PD3.0/QC5/PPS)(Max)	3.3V-21V 5A	/	100W	69*67*32mm
LS-GW100-2C/ LS-GZ100-2C	DC 5V3A, 9V3A, 12V3A, 15V3A, 20V5A (PD3.0/QC5/PPS)(Max)	3.3V-21V 5A	/	100W	69*67*32mm
LS-GW100-1C1A/ LS-GZ100-1C1A	DC 5V3A, 9V3A, 12V3A, 15V3A20V5A (PD3.0/QC5/PPS)(Max)	3.3V-21V 5A	DC 5V3A, 9V2A, 12V1.5A	100W	69*67*32mm
LS-GW100-2C1A/ LS-GZ100-2C1A	DC 5V3A, 9V3A, 12V3A, 15V3A, 20V5A(PD3.0/ QC5/PPS)(Max)	3.3V-21V 5A	DC 5V3A, 9V2A, 12V1.5A (QC3.0) (Max)	100W	69*67*32mm


USB-C Fast Wall Charger

65W

65W USB-C Fast Wall Charger with GaN Tech




Interchangeable plugs



More options with different USB ports:

Model	USB-C Output	PPS Output	USB-A Output	Total Power	Size
LS-GW65-1C/ LS-GZ65-1C	DC 5V9V/12V/ 15V3A/20V3.25A (PD3.0/QC5/ PPS)(Max)	3.3V-21V 3A	/	65W	70*51*30.4mm
LS-GW65-2C/ LS-GW65-2C	DC 5V9V/12V/ 15V3A/20V3.25A (PD3.0/QC5/ PPS)(Max)	3.3V-21V 3A	/	65W	70*51*30.4mm
LS-GW65-1C1A/ LS-GW65-1C1A	DC 5V9V/12V/ 15V3A/20V3.25A (PD3.0/QC5/ PPS)(Max)	3.3V-21V 3A	DC 5V3A, 9V2A, 12V1.5A	65W	70*51*30.4mm
LS-GW65-2C1A/ LS-GZ65-2C1A	DC 5V/9V/12V/ 15V3A/20V3.25A (PD3.0/QC5/ PPS)(Max)	3.3V-21V 3A	DC 5V/3A, 9V/2A, 12V/1.5A (QC3.0)(Max)	65W	70*51*30.4mm

USB or DC Cables



Model: LS-CCP-2R12



Model: LS-C28R



Model: LS-CCP-12



Model: LS-C2CF


Customized USB or DC Cables



Model: LS-ACS8



Model: LS-CFMA



Model: LS-CCP-2R



USB-C to USB-A Cable

Model: LS-A2C



USB A to Type C & Lightning
& Micro cables

Model: LS-A2CLM



4-pin Male to
Female 4Pin XLR
Power Supply Cable

Model: LS-4PFM



Model: LS-C2AF



Model: LS-CF23



Model: LS-C23


Embedded Desktop Fast Charger

USB-C&QC3.0 Charger

Wireless Charger for table mounting



Model:LS-E3U



Model:LS-E15W

Model	LS-E3U	Model	LS-E15W
Input	DC 22.5V-24V 4.3A	Input	DC 5V3A/9V1.67A(Type-C) (PD/QC)
USB-C Output	DC 5-20V5A(Max)	Output	DC 5V/9V15W(Max)
USB-A Output	DC5V3A/9V2A/12V1.5A 18W	Cut-out:	Φ60mm/Φ80mm(with an extra grommet)
Total Power	100W(Max)	Total Power	15W(Max)
Weight	65.8g	Weight	52g
Color	Black, White	Color	Black, White
Size	90*25mm	Size	80*18.5mm

145W 20000mAh USB-C Laptop Power Bank

Power Bank

Charge 2 Laptops and 2 smartphones simultaneously



Wireless charge



Qualcomm quick charge 5



USB-C POWER Delivery 3.0



Laptop

Tablet PC

Smart Phone

Model	LS-N20D
C1 Input/Output	DC 5-20V5A 100W(Max)
C2 Input/Output	DC 5-20V2.25A 45W(Max)
Output USB-A	DC 5V/3A 9V/2.67A 12V/2A
Wireless charging output	5W/7.5W/10W/15W
Total Power	145W
Weight	426g
Color	Black, White

6/8 Slots Sharing Power Bank Rental Charging Station

One Stop Service and Solution for Power Bank Sale & Rental



Model	LS-H6/LS-H8
Input	9V3A
Output	5V5A
Size	233*232*193.5mm
Net Weight	2.25kgs
Communication	4G/2G

3IN1 Built-in Cable Power Bank

Support Type-C, Micro, Lightning Smartphones And Tablets



Model	LS-B5
Capacity	5000mAh Li-polymer
Input	5V2.4A
Output	5V2.4A
Size	149*71*13.5mm
Net Weight	0.15kgs