

UNIVERSAL LAPTOP **USB-C CHARGER**







Shenzhen LVSUN Electronics Technology Co., Ltd Kamera (HK) International Co., Ltd

ADD: Building C, ShiGuan Industrial Centre, Longhua, Shenzhen China TEL: +86-755-81700630 / 81700626 / 28108616

FAX: +86-755-81700629

E-mail: market @enlvsun.com cathy @Lvsun.com.cn

www.enlvsun.com www.lvsun.com.cn



















GROUP INTRODUCTION





LVSUN Group, established in 2003, is located at ShenZhen LongHua with its head office. There are Subsidiaries under parent as named as LVSUN Electronics Technology Co. Ltd of ShenZhen, LVSUN Technology Co. Ltd of ShenZhen, LVSUN Technology Co. Ltd of Dao County, LVSUN Electronics Co.Ltd of ShenZhen, Kamera(HK) International Co., Ltd. The head office of LVSUN in ShenZhen processes firm fields with 20,000 square meters, and meanwhile, the new Innovation of science and technology park of LVSUN in Dao County of HuNan Province seizes lands with 100,000 square meters.

LVSUN focuses on Depth Cultivation of Products, Independence of R&D, Innovation of Technology, Energy saving and Environmental Footprint. There are many assembly manufacturing bases in LVSUN Group. Our main products stretch into multifunctional USB charger, Universal ac Adaptors, Lithium Cell, Lithium Batteries, Raw Materials for Communication, Intelligent Home Products, Internet Marketing and Service etc, which makes LVSUN become the market leader in its innovation power industry. LVSUN Group has invested heavily to import from abroad at the advanced technology and facilities, equipped with the advanced automatic operation and testing device. We have SMT dust-free workshop, automatic plug-in production line and adopting ROHS lead-free production process in order to meet the requirements from EU WEEE, ROHS and REACH . LVSUN has created a high new level and standard in manufacturing industry, and formed a Total Quality Management of ISO9001 and Advanced Performance Management System. LVSUN has assorted with SHARP, CASIO, PENTEX, POVOS for original assemblies and became the key supplier of international OEM such as FUJITSU, HP, DURACELL for many years.

LVSUN brand has been successfully registered in more than 100 countries and regions all over the world as an international trademark and it has brand as LVSUN, KAMERA, UDOLI and ICV etc. LVSUN products sell into more than 100 countries and regions and has been rewarded for more than 300 patents through Europe, America and China at the feasibility, functionality and features of patents. Furthermore, LVSUN has gained the product safety qualification over 300 items. In 2012, LVSUN won the High-tech Enterprise of Nation, High-Tech Enterprise of ShenZhen and The Famous Brand of ShenZhen. In 2013, LVSUN products has been rewarded National Quality Inspection and Stability of Qualified Products. In 2014, LVSUN was rewarded the Independent Innovation Demonstration Enterprise of Guangdong Province and authorized as The Famous Brand of Guangdong.

LVSUN runs in modern enterprise management style, through cooperation with Jinan University and Huazhong University of Science and Technology and other large and medium institutions, LVSUN gathered a number of first-class high-tech talent, mastered the advanced technology and manufacturing process, and established an unparalleled technical advantages and quality advantages in USB multifunctional charger, universal notebook power adapter and mobile power bank.

Pursuing the business philosophy of Creativity Can Cultivate Core Value, Responsibility Can Reflect Realist, LVSUN sets its mission for the market and customers as aiming at more efficiency of energy saving, more effectiveness of friendly environment, more intelligent and portable products. LVSUN is constructing a greater harmony in working environment and better benefits at living conditions for colleagues. With strong moral humanity solicitude and culture web, the goal congruence of LVSUN's common vision is to become a leader at the innovative power field in this world.

 $1 \hspace{1.5cm} 2$





Model: LS-G150-UC5T

Specifications:

Input: USB-C Output(PD3.0/QC4+): USB-A Output (QC3.0): Total Power:

Size:

AC 100-240V 50/60Hz 2.8A DC 5V3A/9V3A/12V3A/15V3A/20V5A max DC 5-20V 3A max 150W (MAX) 152*94*56mm









Model: LS-G150-UC5

Specifications:

Input: USB-C Output(PD3.0/QC4+): USB-A Output (QC3.0): Total Power: Size:

AC 100-240V 50/60Hz 2.8A DC 5V3A/9V3A/12V3A/15V3A/20V5A max DC 5-20V 3A max 150W (MAX) 152*94*31mm







Detachable Wireless Charger (Optional):

Output: 5W / 7.5W / 10W/15W









Detachable Wireless Charger (Optional):

Output: 5W / 7.5W / 10W/15W











NEW!

300W 10 Ports USB-C GaN Charging Station







Model: LS-G300

Specifications:

Input: AC 100-240V 50/60Hz 4A

USB-C Output: DC 5-20V 5A(MAX) Total Power: 300W (MAX) Size: 156*109*33mm

Net Weight: 507g

Color: Black, White





















Model: LS-G150-3C2A

Specifications:

Input: USB-C Output(PD3.0/QC4+): USB-A Output (QC3.0): Total Power: Size:

Color:







150W(MAX)

Black,White

152*75*26mm



AC100-240V 50/60Hz 2.5A

DC 5V/9V/12V/15V3A,20V5A(Max)

DC5V 3A, 9V2A, 12V 1.5A(Max)



LS-C3C









120W 6 Ports USB-C Charger







PATENTED

Model: LS-G120-2C2A

Specifications:

USB-C Output(PD3.0/QC4+): USB-A Output (QC3.0): Total Power:


Size:











LS-C3C




Model: LS-G120-6UD

Specifications:

Input: USB-C Output(PD3.0/QC4+): Total Power:

Size:





INTELLIGENT POWER ALLOCATION



120W(MAX)

200*66*22mm



AC100-240V 2.3A 50/60Hz

DC 5V3A/9V3A/12V3A/15V3A/20V5A



Hang on the wall





NEW!

Advanced Technology GaN 100W 3 Ports Travel Charger







65W GaN Mini USB-C Laptop Charger

2 USB-C + 1 USB-A



Model: LS-GW100-2C1A

Specifications:

Input:

USB-C output (PD3.0/QC4+):

USB-A output: Total Power: Size:

Net Weight:

Color:

AC 100-240V 1.5A 50/60HZ DC 5-20V 5A(Max) DC 5V/3A 9V/2A 12V/1.5A 100W (MAX) 69*67*32mm 179g

Black, White





International Travel Plugs













Model: LS-G65-2C1A

USB-C Output(PD3.0/QC4+):

USB-A Output (QC3.0):

Specifications:

Total Power:

Input:

Size:







AC100-240V 50/60Hz 1.5A DC 5/9/12/15V 3A/20V3.25A DC 5V 3A,9V 2A, 12V1.5A 65W(MAX) 90*71*18mm



LS-C3C









POWER 3.0





4-Port USB Fast Charger









Model: LS-GW65-2C1A

Specifications:

Input: AC 100-240V 50/60Hz 1.5A

USB-C output(PD3.0/QC4+/PPS): DC 5V/9V/12V/15V3A/20V3.25A(Max)

USB-A output (QC3.0): DC 5V 3A, 9V2A, 12V 1.5A

Total Power: 65W(MAX)

Size: 69.3*51.27*30.42mm

Net Weight: 107g

















Specifications:

Input:

USB-C Output:

USB-A Output: USB A*2 Output:

Total Power:

Size:

Net Weight: Color:

AC 100-240V 50/60Hz 1.2A

5V/9V/12V/15V3A/20V2.25A PD3.0/QC4.0

DC 5V3A/9V2A/12V1.5A QC3.0

DC 5V3A 45W(Max)

54*46*53mm

119g Black, White











Model: LS-PD87-1C3A

Specifications:

Input:

USB-C Output:

USB-A Output:

Total Power:

Size:

Net Weight:

Color:

AC 100-240V 50/60Hz 2A DC 5-20V 4.3A(Max)

DC 5-20V 3.5A(Max)

87W(MAX)

110x98x20 mm

236g

Black, White

INTELLIGENT POWER ALLOCATION





















LVSUN® — Since 2000 —

80W Multi USB Laptop & QC3.0 Charger







Model: LS-Q5U-PD

Specifications:

Input:

USB-C Output:

USB-A Output:

Total Power: Size:

Net Weight:

Color:

AC 100-240V 50/60Hz 1.8A DC 5/9/12/15/18/20V 3A

DC 3.6-6.5V 3A,9V 2A,12V1.5A,20V 3.5A 70W

80W(MAX) 110x98x20 mm

238g Black, White

















Model: LS-Q3U-2C1A

Specifications:

Input: USB-C(PD3.0/QC4+/PPS):

USB-A:

Total Power:

Size:

Net Weight:

Color:

15

AC 100-240V 50/60Hz 1.5A DC 5/9/12/15/20V3.25A DC 5V 3A,9V 3A,12V3A,20V3A 65W(MAX) 108*65*16mm 126g

Black, White





LS-C3C














+ 2 USB-A

Specifications:

Input: USB-C(PD3.0/QC4+/PPS):

USB-A:

Total Power:

Size: Net Weight:

Color:

AC100-240V 50/60Hz 1.5A DC 5/9/12V 3A,15/18/20V 3.25A DC 3.6-6.5V 3A,9V 2A,12V1.5A,20V 3A

65W(MAX) 108*65*16mm

126g

Black, White







NEW!















Model: LS-PD60

Specifications:

Input:

USB-C Output:

USB-A Output:

Total Power: Size:

Net Weight:

Color:

AC100-240V 1.5A 50/60Hz DC 5V/9V/15V/20V 3.25A

DC 5V2A 65W(MAX)

114*70*17mm

Black, White
























Model: LS-GD65

Specifications:

Input:

USB-C output (PD3.0/QC4+):

Total Power:

Size:

Net Weight:

AC 100-240V 1.5A 50/60Hz DC 5V/9V/15V/20V 3.25A (MAX) 65W(MAX) 75.8*45.8*22.2mm 117g

















NEW!

10-Port 120W USB-C Charger

10 USB-C





Specifications:

Input:

USB-C(PD3.0): USB-A: DC 5V2.4A Total Power:

142*63*33mm

Net Weight:

Color: Black, White

AC 100-240V 50/60Hz 2.3A

DC 5-20V 5A 112W(MAX)









Model: LS-10U24F C

Specifications:

Input:

USB-C output: Total Power:

Size:

Net Weight:

Color:

AC 100-240V 50/60Hz 1.68A

DC 5V/2.4A*10 120W(MAX) 156*109*33mm

507g

Black, White









Universal Car Notebook Charger USB-C









Model: LS-CR100-PD

Specifications:

DC 12-24V 11A Input:

USB-C Output: DC 5V/3A 9V/2A 12V/3A 15V/3A 20V5A

USB-A Output: DC 5V/3A 9V/2A 12V/1.5A

100W(MAX) Total Power: Size: 85*36*28mm

Net Weight:

Black, White Color:

Total Power:

Fit for Windows10 Mac ochrome iPad





Model: LS-CR45-PQ

Specifications:

Size:

Color:

Net Weight:

Input: DC 12-24V 4.5A **USB-C Output:** DC 5-20V/3A

USB-A Output: DC 3.6-6.5V/2.4A 9V/2A 12V/1.5A

> 45W(MAX) 75*28*25mm

Black, White











500W USB-A & USB-C charging station

Charge 10 devices at the same time







PATENTED

Model: LS-UC10

Specifications:

Input: AC 100-240V 4.6A 50/60HZ

Output: DC 5V/9V/12V/15V3A/20V2.25A(PD3.0/QC4+) Total Power: 500W(MAX)

Size: 212*340*44mm

Each port with own indicator for your easy-checking

Color: Black













480W 20 Ports Universal USB-C **Charging Cart**





- 1. Adopt the Intelligent Power Allocation technology and charge 20 laptops or 20tablets simultaneously.
- 2. USB-A ports support Qualcomm QC3.0 fast charging technology.
- 3. USB-C ports support Power Delivery fast charging technology.
- 4. Either USB-A or USB-C port support to charge for different brands of laptops, each output can reach 70W max.
- 5. With disinfection light function, much safer and more healthy.
- 6. Designed with LED illumination light, auto sensing once you open orclose the door.
- 7. Use universal 360° wheel, convenient to carry with human design.
- 8. Key lock security design, safe and reliable.
- 9. Intelligent multiple safety protection function, over current protection, over voltage protection, short circuit protection, over temperature protection.

Application Places:











AC 100-240V 50/60Hz 10A Input:

USB-C output(PD3.0/QC4+): DC 5V 3A/9V 3A/12V 3A/15V 3A/20V 5A max

USB-A output(QC3.0): DC 5-20V 3A max

Total Power: 480W(MAX) Size: 423*398*805mm

35kg Net Weight: Color: Black.white



LVSUN®



























Model: LS-10U24F

Specifications:

Input: AC 100-240V 1.68A 50/60Hz

Output: DC 5V 2.4A*10 Total Power: 120W(MAX) Size: 156*109*33mm

Net Weight: 507g





Model: LS-10UH

Specifications:

Size:

AC 100-240V 50/60Hz 1.6A Input: Output: DC 5V 1A *10 or DC 5V 2.4A *5

Total Power: 60W(MAX) 160*62*47mm

Net Weight: 305g

Color: Black, White









Model: LS-Q3U-3A

Specifications:

Input: AC 100-240V 50/60Hz 1.5A USB-A(QC3.0): DC5V/9V/12V/20V3A

Total Power: 65W(MAX) Size: 108*65*16mm

Net Weight: 126g

Color: Black, White













Model: LS-5US

Specifications:

Input:

Output: Total Power:

Size:

Net Weight:

Color:

DC 12-24V 3.8A

DC 5V 2.4A *3 or DC 5V 1.2A*4 & 2.4A *1

36W(MAX) 102*34*16 mm

Black, White





20W PD3.0 fast wall charger

9V2.22A PD Fast Charger for iPhone 12,12 Pro, 12 Pro Max, etc









NEW!

60W Dual Charger

Professional DV High Capacity Battery Fast Charger



Model: LS-QW20P

Specifications:

Input:

USB-C Output(PD3.0/QC4+):

Total Power:

Size:

International Travel Plugs













DC 5V3A,9V2.22A,12V1.67A,15V1.3A,20V1A

AC 100-240V 0.45A 50/60HZ

POWER 3.0

20W (MAX)

52*31*48mm





Model: LS-PC201

Specifications:

AC Input:

DC Input: DC OUTPUT:

USB OUTPUT:

Total Power:

Size:

Net Weight:

Color:

AC 100-240V 1.5A 50-60HZ PD 20V3A (PD2.0/PD3.0) DC 4.2-17.6V 3A(max)*2

5V3A/9V2A/12V1.5A(QC3.0)

60W(MAX) 123*112*45mm



Black, White







Model: LS-5UWT-5C

Specifications:

Input:

USB-C output:

Total Power:

Size:

Net Weight:

Color:

AC 100-240V 50/60Hz 2A

DC 5-20V 5A(MAX) 100W(MAX)

132*80*31mm

290g

Black, White



NEW!







Model: LS-E3U

Specifications:

DC 5-20V 5A(MAX) **USB-C Output: USB-A Output:** DC 5V3A/9V2A/12V1.5A 18W

Total Power:

Size:

Color:

Input:

Net Weight:

90*25mm 65.8g Black, White

100W(MAX)

DC 22.5V-24V 4.3A















15W Embedded Desktop Fast Wireless Charger





15W Fast Wireless Charger



Model:LS-E15W

Specifications:

Input:

Output:

Cut-out: Total Power:

Total Pow

Size:

Net Weight:

Color:

DC 5V3A/9V1.67A(Micro USB)

DC 5V/9V 15W (MAX)

 $\Phi 60mm$ / $\Phi 80mm$ (with an extra grommet)

36W(MAX) 90*18.5mm

52g

Black, White







Model: LS-W15

Specifications:

Input:

Output:

Total Power:

Size:

Net Weight:

Color:

DC 9V 2.2A (USB-C) DC 5V / 9V 15W (Max)

15W(MAX)

80*15mm

Black, White









8 slots Sharing Power Bank Rental

Charging Station

One stop Service and solution for power bank sale & rental

Model: LS-H8

Input:

9V3A Output: 5V5A

Size: 233*232*193.5mm

Net weight: 2.25kgs Communication: 4G/2G





6 slots Sharing Power Bank Rental **Charging Station**

One stop Service and solution for power bank sale & rental

Model: LS-H6

9V3A Input: 5V5A Output:

Size: 233*232*193.5mm

2.25kgs Net weight: Communication: 4G/2G





3IN1 Built-in Cable Power Bank

Support Type-C, Micro, Lighting smart phones and tablets

Model: LS-B5

5000mAh Li-polymer Capacity:

5V2.4A Input: 5V2.4A Output:

149*71*13.5mm

Net weight: 0.15kgs



