

SimPal-G4

3G Security Camera



SimPal-G4 3G security camera, the simple DIY indoor alarm camera, with built-in alarm PIR motion detector, GSM/3G industrial module, 5.0M pixels camera lens. Once motion detected, auto sending SMS text message and high resolution images directly to your mobile phone, you can know and see details of monitor place intruder alarm.

Work as brain of home alarm system; connect up to 16pcs wireless sensor, such as wireless smoke detector, wireless PIR detector, wireless siren and remote control etc accessories. Any sensor trigger, auto sending SMS or images alert to your mobile phone. Latest FSK wireless technology guarantees better wireless sensor connection.

It can be widely use at home, warehouse, summer house, store, boat etc place. No WIFI or internet request of monitoring place, easy move the camera anywhere without extra configuring.

High resolution alarm images

SimPal-G4 will sending high resolution images to your mobile phone, easy receive and see alert details of your monitor place. Up to 5 HD images send in one MMS or email, clearly see intruder motion in 5 time intervals.

Multi-ways alarm

With built-in GSM/3G module, camera can be sending SMS, MMS, email or make calling to alarm; also can store extra 4 users number at camera, sending alert information to all users at the same time.

Mult-protect mode

SimPal-G4 come with built-in PIR motion detector, it will alarm once motion detected in front the camera place; Temperature sensor attached on camera, SMS alert once environment rapid change, such as fire accident. Connect up to 16pcs wireless sensor, such as wireless door magnetic, wireless PIR detector, wireless smoke detector etc, works as brain of full-set home alarm system.

Easy use and install

SimPal-G4 extremely easy installing, remove battery cover, install SIM card and connect the power adaptor, then its available working for you. IOS and Android application available now, easy control the camera in your smartphone.



IOS Application

Technical specification:

| | |
|------------------------------------|---|
| Communication | Integrated WCDMA module |
| GSM bands | GSM 850/900/1800/1900 WCDMA: 2100 (850/1900 optional) |
| GSM antenna | External with standard SMA connector |
| Working temperature / Humidity | -10 °C to 45 °C / 10% to 90% |
| Alarm detection | PIR body detection |
| Distance alarm detection | up to 6 m |
| alarm modes | SMS, MMS, Email, Voice calls |
| Support Email type | Gmail, Hotmail, Outlook, and other email account. |
| Camera / maximum distance | 5.0 Megal pixels/ up to 6 m |
| picture file format | JPEG |
| images resolution | 320*240/ 640*480 / 1280*768 |
| Built-in microphone distance | Yes, up to 6 m |
| Night vision | Yes, 10pcs white light LED. |
| Temperature sensor | Yes, built-in |
| Temperature sensor range | -20 °C to 50 °C (±3 degree) |
| Power adaptor (in - out) | 110V~240V- DC 12V/1A |
| Battery | Lithium 900mAh |
| Battery back-up | 10 hours (Disarm mode) |
| Battery working time | 3-4 hours (in ARM mode) |
| Power lost alert | YES |
| User interface - SMS text messages | English |
| Giftbox weight | 520g |

Packing content:

| | |
|--------------------|------|
| SimPal-G4 Camera | 1pcs |
| GSM antenna | 1pcs |
| Power adaptor | 1pcs |
| Temperature sensor | 1pcs |
| Metal bracket | 1set |
| Manual | 1pcs |