

GSM Gateway

S198G/GS

VOGTEC
www.vogtec.com



GSM Gateway

S198G/GS

VOGTEC
www.vogtec.com

By using this gateway you can cut half of your company telephone bill, Since all calls directed to GSM networks are routed through MT and extortionate bills for the PSTN-GSM connection are avoided. It is not only a tool for call cost reduction as it can provide other communication



FEATURES

- Quad band 850/900/1800/1900 MHz auto compatible
- RJ-11 socket for easy interface with any kinds of terminal impedance (suitable for all types of EPABX and PCO machines).
- DTMF / FSK Caller ID and error message display
- Speaker / MIC volume adjustable
- Call diversion / call waiting / call conference.
- Enter PIN and change PIN.
- Send DTMF tone signals.
- Voice mail.
- Easy update with the update port.
- GSM USSD.
- Fast dialing from SIM phone book
- SMS receiving /sending via PC tool
- Call back (500 memories)
- 12/16Khz billing signal
- Baby call
- Black / White list
- PC configure tool
- GPRS via USB port
- Battery back up (option)

HIGHLIGHTS

- Quad band
- Completely replaces fix line, telephone over the mobile network using an analogue telephone
- Cost-save on calls from fix line to GSM network
- Battery backup (optional)
- Call back

Technical SPEC

- SIM card small
- Antenna impedance 50ohm SMA Female
- Power: Max Tx Power: 2W(850/900MHz) and 1W(1800/1900MHz)
- Operation: 0.25A
- SLIC Power -48V+/-3V
- Loop Current 25mA
- Ring Voltage 90Vpk, 20Hz
- REN: =2
- Polarity reverse /Metering pulse
- Generator 12 KHz/16KHz
- DTMF Decoder/ Encoder



GSM Gateway

S198G/GS

VOGTEC
www.vogtec.com

Optional feature:

Phone lock/ SIM card lock / Network lock.

Package

Dimensions: 200 x 150 x 45 mm

Weight: 230 g (main unit)

Gift Box Dimension: 325 x 165 x 55 mm

Carton size:335X295X350 mm (10 gift boxes in one carton)



VOGTEC TECHNOLOGY CO., LTD.

Add: 222; 2/F, Konghesheng Bldg.,
3009 Shahe Rd. West, Nanshan District,
Shenzhen, 518055, China
Tell: +86 755 8653 7590 /91/92
Fax: +86 755 8653 7589
Email: vtc@vogtec.com