


Yealink IP series offers a comprehensive line of affordable IP phones at various price points meeting the need of enterprise, SMB and home application. Based on innovative and proprietary technology, superb video & audio quality, abundant telephone features and the ability to work with other popular VoIP products will absolutely improve users' experience on IP communication.





**VP-2009D**

## IP Video Phone

- TI DaVinci chipset, 300K CMOS Sensor Camera
- 7-inch 800x480 digital LCD, Touch screen
- H.264 and H.263 Video Codec, A/V out
- Headset, PoE, 2x LAN, 1x USB port, 1x SD slot
- Voice Codecs: G.722, G.711, G.729AB, G.726, G.723.1
- Full-duplex speakerphone with enhanced AEC
- Icon driven GUI and Color Ring/Image support
- Online Advertisement when idle/ring back/talking status
- SIPs/HTTPS/TLS/SRTP, VLAN, QoS/ToS/DSCP
- TR069, FTP/TFTP/HTTP, PnP Auto-provision



**SIP-T28P**

## Executive IP Phone

- TI TITAN chipset, 320x160 graphic LCD
- HD Voice: HD Codec, HD speaker, HD handset
- 6 accounts, 48 keys including 16 programmable keys
- 2x LAN, Headset, PoE(802.3af), Expansion module
- SMS, Voicemail, Distinctive Ringtone
- HD voice with wideband codec: G.722
- Voice Codecs: G.711, G.729AB, G.726, G.723.1, GSM, iLBC
- XML Phonebook, Localized language
- TR069, FTP/TFTP/HTTP, PnP Auto-provision
- BLA/BLF, SIPs/HTTPS/TLS/SRTP, VLAN, QoS/ToS/DSCP



**SIP-T26P**

## Advanced IP Phone

- TI TITAN chipset, 132x64 graphic LCD
- HD Voice: HD Codec, HD speaker, HD handset
- 3 accounts, 45 keys including 13 programmable keys
- 2x LAN, Headset, PoE(802.3af), Expansion module
- SMS, Voicemail, Distinctive Ringtone
- HD voice with wideband codec: G.722
- Voice Codecs: G.711, G.729AB, G.726, G.723.1, GSM, iLBC
- XML Phonebook, Localized language
- TR069, FTP/TFTP/HTTP, PnP Auto-provision
- BLA/BLF, SIPs/HTTPS/TLS/SRTP, VLAN, QoS/ToS/DSCP



**SIP-T22P**

## Professional IP Phone

- TI TITAN chipset, 132x64 graphic LCD
- HD Voice: HD Codec, HD speaker, HD handset
- 3 accounts, 32 keys including 4 soft keys
- 2x LAN, Headset, PoE(802.3af)
- SMS, Voicemail, Distinctive Ringtone
- HD voice with wideband codec: G.722
- Voice Codecs: G.711, G.729AB, G.726, G.723.1, GSM, iLBC
- XML Phonebook, Localized language
- SIPs/HTTPS/TLS/SRTP, VLAN, QoS/ToS/DSCP
- TR069, FTP/TFTP/HTTP, PnP Auto-provision



**SIP-T20P**

## Entry Level IP Phone

- TI TITAN chipset, 2 accounts
- 3-line LCD(2x 15 characters and an icon line)
- HD Voice: HD Codec, HD speaker, HD handset
- 2x LAN, Headset, PoE(802.3af)
- Voicemail, Distinctive Ringtone
- HD voice with wideband codec: G.722
- Voice Codecs: G.711, G.729AB, G.726, G.723.1, GSM, iLBC
- XML Phonebook, Localized language
- SIPs/HTTPS/TLS/SRTP, VLAN, QoS/ToS/DSCP
- TR069, FTP/TFTP/HTTP, PnP Auto-provision



**EXP38**

## Expansion Module

- 38 programmable keys each with a dual-color LED
- Daisy-chain 6 modules for 228 programmable keys
- Dual color (red or green) LEDs for line status information
- Supports Busy Lamp Field(BLF), Bridge Line Appearance(BLA)
- Programmable for speed dialing, call pickup, Intercom, hold, transfer, voicemail, forward, DND...
- Applies to Yealink IP Phone SIP-T28P and SIP-T26P
- Expansion module(≤2) is powered by the host phone



**YHS32**

## Yealink Headset

- Ultra noise cancelling microphone, superb sound quality
- Quick disconnection cord, 1x RJ9 headset jack
- Ultra light weight 50g, comfortable wearing for all day use
- 330° rotatable microphone boom
- Strong design, the life of boom rolling even to 30,000 times
- Over-the-head style, can be used with right or left ear
- Pliable steel headband, large size ear pad and padded T-bar
- ActiveProtection™ safeguards the user from acoustic burst
- Accessories: leatherette ear cushion, foam ear cushion, adjustable clothing clip, headset hanger

## Comparison Table of IP Phone Series

Description	SIP-T28P	SIP-T26P	SIP-T22P	SIP-T20P
Chipset	TI TITAN Chipset TI Voice Engine	TI TITAN Chipset TI Voice Engine	TI TITAN Chipset TI Voice Engine	TI TITAN Chipset TI Voice Engine
LCD	320x160 graphic LCD 4-level grayscales	132x64 graphic LCD	132x64 graphic LCD	3-line LCD (2x15 characters and icon lines)
Keys	48 keys including 16 programmable keys	45 keys including 13 programmable keys	32 keys including 3 programmable keys	31 keys including 2 programmable keys
User Account	6	3	3	2
GUI	Excellent	Excellent	Excellent	Good
HD Voice	HD Codec, HD Handset, HD Speaker	HD Codec, HD Handset, HD Speaker	HD Codec, HD Handset, HD Speaker	HD Codec, HD Handset, HD Speaker
Full-duplex Speakerphone	✓	✓	✓	✓
Wideband Codec	G.722	G.722	G.722	G.722
Narrowband Codec	G.711, G.723.1, G.726, G.729AB, iLBC, GSM	G.711, G.723.1, G.726, G.729AB, iLBC, GSM	G.711, G.723.1, G.726, G.729AB, iLBC, GSM	G.711, G.723.1, G.726, G.729AB, iLBC, GSM
BLF/BLA	✓	✓	—	—
Intercom/Call Pickup/Call Park	✓	✓	✓	✓
XML Phonebook	✓	✓	✓	✓
3-way Conference	✓	✓	✓	✓
SMS	✓	✓	✓	—
Voice Mail	✓	✓	✓	✓
PnP Auto-provision	✓	✓	✓	✓
TR069	✓	✓	✓	✓
FTP/TFTP/HTTP	✓	✓	✓	✓
VLAN/QoS/ToS /DSCP	✓	✓	✓	✓
HTTPS/SRTP /TLS/SIPS	✓	✓	✓	✓
Localized Language	✓	✓	✓	✓
Expansion Module	✓	✓	—	—
PoE/Headset	✓	✓	✓	✓
Ethernet Ports	2	2	2	2